

CDEN1X Series Communication Optical Fiber Distribution Box



Overview

The CDEN1X optical fiber home information box is developed to adapt to the development of home informatization. It is a system that truly realizes home intelligence and informatization. It can manage the telephone, fax, television, satellite reception, wireless optical network and security equipment in the home, and it is extremely convenient to manage and maintain. It fully provides a practical solution to home intelligent wiring, management, use and maintenance. The purpose is to create a beautiful and comfortable "intelligent" information home for consumers.

Product selection

Product name	Function type	Box specification	Panel
CDEN1X	G	01	
	G: Optical fiber box	01: Small box 300 * 250 * 120 02: Middle box 350 * 300 * 120 03: Large box 400 * 300 * 120	W: Milky white panel Default: Metal panel



Characteristic


Novel design, convenient installation, fast, economical and practical;
Unified management, visual identification, clear stem connection status;
Support video, voice, data, security monitoring signal transmission and remote intelligent control;
Flexibility, high efficiency and reliability;
Compatibility and openness, modular installation using interfaces;
Box embedded, simple and convenient, beautiful and generous;

Main parameters

Rated working voltage	230/400V AC
Rated current of the socket	10A
Panel and box material	Micro-arc milky white opaque door, flat all-metal door The plastic panel is made of imported ABS engineering plastic, which is heat resistant, low temperature resistant, good in rigidity, mechanical strength and electrical performance, good surface gloss, 180° opening The metal panel is made of 1.0mm high-quality cold-rolled steel plate, and the surface is treated by electrostatic spraying technology, which is durable and has excellent performance. Corrosion resistance The bottom box is made of cold-rolled steel plate with inner folding design. The surface is treated by electrostatic spraying, which is durable and has excellent performance and good orrosion resistance
Installation and wiring	Knock-off holes are provided at the top and bottom to facilitate incoming and outgoing lines. The upper and lower sides of the inner side of the box body are provided with module mounting brackets, which are convenient for line management The inside of the optical fiber box is equipped with an ONU bracket, which is compatible with ONU equipment of different sizes, and is equipped with an optical fiber splicing disc to realize optical fiber continuity, which truly realize optical fiber to the home The inside of the optical fiber box is equipped with a special power socket to provide AC220V stable power supply for ONU equipment.

CDEN1X Series Communication Optical Fiber Distribution Box

Outline and installation dimension



Function type	Cover material	Box Specification	Panel size (mm)		Bottom box size (mm)		Depth	Reference number
			A	B	C	D		
Optical Fiber Distribution box	Milky white	01	325	273	250	300	120	CDEN1G01W
		02	376	323	300	350	120	CDEN1G02W
		03	426	323	300	400	120	CDEN1G03W
	Metal	01	345	300	250	300	120	CDEN1G01
		02	395	350	300	350	120	CDEN1G02
		03	445	350	300	400	120	CDEN1G03

Product order number

Reference code	Description of the reference code
CDEN1XG01	CDEN1X, Optical fiber distribution box, Small box, Metal panel, 1.0mm thickness
CDEN1XG01J	CDEN1X, Optical fiber distribution box, Small box, Metal panel, 0.8mm thickness
CDEN1XG01W	CDEN1X, Optical fiber distribution box, Small box, Milky white panel, 1.0mm thickness
CDEN1XG01WJ	CDEN1X, Optical fiber distribution box, Small box, Milky white panel, 0.8mm thickness
CDEN1XG02	CDEN1X, Optical fiber distribution box, Middle box, Metal panel, 1.0mm thickness
CDEN1XG02J	CDEN1X, Optical fiber distribution box, Middle box, Metal panel, 0.8mm thickness
CDEN1XG02W	CDEN1X, Optical fiber distribution box, Middle box, Milky white panel, 1.0mm thickness
CDEN1XG02WJ	CDEN1X, Optical fiber distribution box, Middle box, Milky white panel, 0.8mm thickness
CDEN1XG03	CDEN1X, Optical fiber distribution box, Large box, Metal panel, 1.0mm thickness
CDEN1XG03J	CDEN1X, Optical fiber distribution box, Large box, Metal panel, 0.8mm thickness
CDEN1XG03W	CDEN1X, Optical fiber distribution box, Large box, Milky white panel, 1.0mm thickness
CDEN1XG03WJ	CDEN1X, Optical fiber distribution box, Large box, Milky white panel, 0.8mm thickness

Memo

[illegible]

Memo

[illegible]